

CERTIFICATE

Issued to:
Applicant:
Villarreal Division Equipos S.A.de C.V.
Morelos #905 Sur C.P.
67350 Allende N.L., Mexico

Product : Photovoltaic (PV) Module(s)
Trade name(s) : CONNERA
Type(s)/model(s) : PV Module with mono c-Si cells and PV Module with poly c-Si cells

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:

- an evaluation according to the standard(s) IEC 61215-1:2021, IEC 61215-1-1:2021, IEC 61215-2:2021, IEC 61730-1:2023 and IEC 61730-2:2023
- a periodic surveillance
- a DEKRA certification agreement with the number 6059484
- the licensee is registered with the number 43796

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : Module Tested
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 9 June 2025 and expires at the latest on 11 September 2029.

Certificate number: 31-90022-001 REV.1

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



Cliff Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90022-001

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: Photovoltaic (PV) Module(s)
Trade name(s)	: CONNERA
Type(s)/model(s)	: CONNERA-xxx-108MBK, CONNERA-xxx-120M, CONNERA-xxx-120MBK, CONNERA-xxx-132M, CONNERA-xxx-132MBK, CONNERA-xxx-144M, CONNERA-xxx-96M, CONNERA-xxx-B120M, CONNERA-xxx-B132M, CONNERA-xxx-CS36M, CONNERA-xxx-CS36P, CONNERA-xxx-CS60M, CONNERA-xxx-CS60P, CONNERA-xxx-CS72M, CONNERA-xxx-CS72P, CONNERA-xxx-HC54BK, CONNERA-xxx-HC54M, CONNERA-xxx-HC60M, CONNERA-xxx-HC66M, CONNERA-xxx-HC72BK, CONNERA-xxx-HC72M, CONNERA-xxx-HCB72M, CONNERA-xxx-HCB78, CONNERA-xxx-RCHC48MBK, CONNERA-xxx-RCHC54M, CONNERA-xxx-RCHC60M, CONNERA-xxx-RCHC60MBK, CONNERA-xxx-RCHC66MBK, CONNERA-xxx-RCHC72MBK, CONNERA-xxx-BFC, CONNERA-xxxM, CONNERA-xxxMBF-48B, CONNERA-xxxMBF-48D, CONNERA-xxxMBF-48K, CONNERA-xxxMBF-54B, CONNERA-xxxMBF-54C, CONNERA-xxxMBF-54D, CONNERA-xxxMBF-54K, CONNERA-xxxMBF-60B, CONNERA-xxxMBF-60D, CONNERA-xxxMBF-60K, CONNERA-xxxMBF-66B, CONNERA-xxxMBF-66K, CONNERA-xxxMBF-72B, CONNERA-xxxMBF-72D, CONNERA-xxxMBF-72G, CONNERA-xxxMBF-72K, CONNERA-xxxMBF-78B, CONNERA-xxxMBF-78D and CONNERA-xxxMBF-78K
Protection Class	: Class II
Pollution Degree	: 1
Fire Rating	: Class C according to UL790
Maximum system voltage	: 1500V

Product data – type CONNERA-xxx-108MBK

Design	: PV module with mono c-Si cells
Description	: xxx=490-510, in steps of 5, 108 cells

Product data – type CONNERA-xxx-120M

Design	: PV module with mono c-Si cells
Description	: xxx=590-610, in steps of 5, 120 cells

Product data – type CONNERA-xxx-120MBK

Design	: PV module with mono c-Si cells
Description	: xxx=590-610, in steps of 5, 120 cells xxx=465-490, in steps of 5, 120 cells

Product data – type CONNERA-xxx-132M

Design	: PV module with mono c-Si cells
Description	: xxx=650-670, in steps of 5, 132 cells xxx=515-540, in steps of 5, 132 cells

Product data – type CONNERA-xxx-132MBK

Design : PV module with mono c-Si cells
Description : xxx=650-670, in steps of 5, 132 cells

Product data – type CONNERA-xxx-144M

Design : PV module with mono c-Si cells
Description : xxx=645-670, in steps of 5, 144 cells

Product data – type CONNERA-xxx-96M

Design : PV module with mono c-Si cells
Description : xxx=430-450, in steps of 5, 96 cells

Product data – type CONNERA-xxx-B120M

Design : PV module with mono c-Si cells
Description : xxx=465-490, in steps of 5, 120 cells
xxx=590-610, in steps of 5, 120 cells

Product data – type CONNERA-xxx-B132M

Design : PV module with mono c-Si cells
Description : xxx=650-670, in steps of 5, 132 cells

Product data – type CONNERA-xxxBFC

Design : PV module with mono c-Si cells
Description : xxx=490-510, in steps of 5, 132 cells
xxx=590-620, in steps of 5, 132 cells
xxx=515-540, in steps of 5, 132 cells
xxx=650-670, in steps of 5, 132 cells
xxx=690-720, in steps of 5, 132 cells
xxx=530-550, in steps of 5, 132 cells

Product data – type CONNERA-xxx-CS36M

Design : PV module with mono c-Si cells
Description : xxx=30-40, 50, 70-80, 100, 120, 150-205, in steps of 5, 36 cells

Product data – type CONNERA-xxx-CS36P

Design : PV module with poly c-Si cells
Description : xxx=70-80, 100, 155-175, in steps of 5, 36 cells

Product data – type CONNERA-xxx-CS60M

Design : PV module with mono c-Si cells
Description : xxx=305-350, in steps of 5, 60 cells

Product data – type CONNERA-xxx-CS60P

Design : PV module with poly c-Si cells
Description : xxx=260-295, in steps of 5, 60 cells

Product data – type CONNERA-xxx-CS72M

Design : PV module with mono c-Si cells

Description : xxx=190-220, 370-415, in steps of 5, 72 cells

Product data – type CONNERA-xxx-CS72P

Design : PV module with poly c-Si cells

Description : xxx=200-210, 310-355, in steps of 5, 72 cells

Product data – type CONNERA-xxx-HC54BK

Design : PV module with mono c-Si cells

Description : xxx=415-435, in steps of 5, 108 cells

Product data – type CONNERA-xxx-HC54M

Design : PV module with mono c-Si cells

Description : xxx=395-435, in steps of 5, 108 cells

Product data – type CONNERA-xxx-HC60M

Design : PV module with mono c-Si cells

Description : xxx=320-350, 435-460, in steps of 5, 120 cells

Product data – type CONNERA-xxx-HC66M

Design : PV module with mono c-Si cells

Description : xxx=490-510W, in steps of 5, 132 cells

Product data – type CONNERA-xxx-HC72BK

Design : PV module with mono c-Si cells

Description : xxx=560-590, in steps of 5, 144 cells

Product data – type CONNERA-xxx-HC72M

Design : PV module with mono c-Si cells

Description : xxx=385-420, 560-590, in steps of 5, 144 cells

Product data – type CONNERA-xxx-HCB72M

Design : PV module with mono c-Si cells

Description : xxx=560-590, in steps of 5, 144 cells

Product data – type CONNERA-xxx-HCB78

Design : PV module with mono c-Si cells

Description : xxx=610-635, in steps of 5, 156 cells

Product data – type CONNERA-xxxM

Design : PV module with mono c-Si cells

Description : xxx=430-460, 520-560, in steps of 5, 144 cells
xxx=590-620, in steps of 5, 132 cells

Product data – type CONNERA-xxxMBF-48B

Design : PV module with mono c-Si cells

Description : xxx=430-450, in steps of 5, 96 cells

Product data – type CONNERA-xxxMBF-48D

Design : PV module with mono c-Si cells
Description : xxx=430-450, in steps of 5, 96 cells

Product data – type CONNERA-xxxMBF-48K

Design : PV module with mono c-Si cells
Description : xxx=430-450, in steps of 5, 96 cells

Product data – type CONNERA-xxxMBF-54B

Design : PV module with mono c-Si cells
Description : xxx=490-510, in steps of 5, 108 cells
xxx=420-450, in steps of 5, 108 cells

Product data – type CONNERA-xxxMBF-54C

Design : PV module with mono c-Si cells
Description : xxx=420-450, in steps of 5, 108 cells

Product data – type CONNERA-xxxMBF-54D

Design : PV module with mono c-Si cells
Description : xxx=395-420, in steps of 5, 108 cells
xxx=490-510, in steps of 5, 108 cells
xxx=415-440, in steps of 5, 108 cells
xxx=420-450, in steps of 5, 108 cells

Product data – type CONNERA-xxxMBF-54K

Design : PV module with mono c-Si cells
Description : xxx=395-420, in steps of 5, 108 cells
xxx=490-510, in steps of 5, 108 cells
xxx=415-440, in steps of 5, 108 cells
xxx=420-450, in steps of 5, 108 cells

Product data – type CONNERA-xxxMBF-60B

Design : PV module with mono c-Si cells
Description : xxx=545-565, in steps of 5, 120 cells
xxx=480-500, in steps of 5, 120 cells

Product data – type CONNERA-xxxMBF-60D

Design : PV module with mono c-Si cells
Description : xxx=435-460, in steps of 5, 120 cells
xxx=545-565, in steps of 5, 120 cells
xxx=465-490, in steps of 5, 120 cells
xxx=590-610, in steps of 5, 120 cells
xxx=480-500, in steps of 5, 120 cells

Product data – type CONNERA-xxxMBF-60K

Design : PV module with mono c-Si cells

Description : xxx=435-460, in steps of 5, 120 cells
xxx=545-565, in steps of 5, 120 cells
xxx=465-490, in steps of 5, 120 cells
xxx=590-610, in steps of 5, 120 cells
xxx=480-500, in steps of 5, 120 cells

Product data – type CONNERA-xxxMBF-66B

Design : PV module with mono c-Si cells
Description : xxx=590-620, in steps of 5, 132 cells
xxx=515-540, in steps of 5, 132 cells
xxx=530-550, in steps of 5, 132 cells

Product data – type CONNERA-xxxMBF-66K

Design : PV module with mono c-Si cells
Description : xxx=490-510, in steps of 5, 132 cells
xxx=590-620, in steps of 5, 132 cells
xxx=515-540, in steps of 5, 132 cells
xxx=650-670, in steps of 5, 132 cells
xxx=690-720, in steps of 5, 132 cells
xxx=530-550, in steps of 5, 132 cells

Product data – type CONNERA-xxxMBF-72B

Design : PV module with mono c-Si cells
Description : xxx=645-670, in steps of 5, 144 cells
xxx=560-590, in steps of 5, 144 cells
xxx=590-610, in steps of 5, 144 cells

Product data – type CONNERA-xxxMBF-72D

Design : PV module with mono c-Si cells
Description : xxx=520-560, in steps of 5, 144 cells
xxx=645-670, in steps of 5, 144 cells
xxx=590-610, in steps of 5, 144 cells

Product data – type CONNERA-xxxMBF-72G

Design : PV module with mono c-Si cells
Description : xxx=560-590, in steps of 5, 144 cells

Product data – type CONNERA-xxxMBF-72K

Design : PV module with mono c-Si cells
Description : xxx=520-560, in steps of 5, 144 cells
xxx=645-670, in steps of 5, 144 cells
xxx=560-590, in steps of 5, 144 cells
xxx=590-610, in steps of 5, 144 cells

Product data – type CONNERA-xxxMBF-78B

Design : PV module with mono c-Si cells
Description : xxx=610-635, in steps of 5, 156 cells
xxx=630-650, in steps of 5, 156 cells

Product data – type CONNERA-xxxMBF-78D

Design : PV module with mono c-Si cells
Description : xxx=610-635, in steps of 5, 156 cells
 xxx=630-650, in steps of 5, 156 cells

Product data – type CONNERA-xxxMBF-78K

Design : PV module with mono c-Si cells
Description : xxx=610-635, in steps of 5, 156 cells
 xxx=630-650, in steps of 5, 156 cells

Product data – type CONNERA-xxx-RCHC48MBK

Design : PV module with mono c-Si cells
Description : xxx=430-450, in steps of 5, 96 cells

Product data – type CONNERA-xxx-RCHC54M

Design : PV module with mono c-Si cells
Description : xxx=490-510, in steps of 5, 108 cells

Product data – type CONNERA-xxx-RCHC60M

Design : PV module with mono c-Si cells
Description : xxx=545-565, in steps of 5, 120 cells

Product data – type CONNERA-xxx-RCHC60MBK

Design : PV module with mono c-Si cells
Description : xxx=545-565, in steps of 5, 120 cells

Product data – type CONNERA-xxx-RCHC66MBK

Design : PV module with mono c-Si cells
Description : xxx=590-620, in steps of 5, 132 cells

Product data – type CONNERA-xxx-RCHC72MBK

Design : PV module with mono c-Si cells
Description : xxx=645-670, in steps of 5, 144 cells

TESTS**Test requirements**

IEC 61215-1:2021
IEC 61215-1-1:2021
IEC 61215-2:2021
IEC 61730-1:2023
IEC 61730-2:2023

Test result

The test results are documented in DEKRA test file 622723600.

Additional information

This certificate replaces certificate No. 31-90022-001 which we hereby declare invalid.

The list of components is laid down in test report 6227236A.50A and 6227236A.50B.

Conclusion

The examination has confirmed that all requirements were met.

Factory location

The factory location is registered with the number 43796.

Trade name(s): CONNERA stands for 

Unique Identifier

The DEKRA Seal has been updated with a modern look. Both the new and old designs of the seal are shown on this certificate, and you may use either version. We strongly encourage you to use the new version for a clearer and more contemporary representation of your certification.

New DEKRA Seal certification mark design:



Old DEKRA Seal certification mark design:

